

Test MS Patches Plant iT / brewmaxx V9.70 (Results) 3/13/2026

Project: V. MS Patch Test
By Tina Jacob, 3/13/2026 9:20 AM

Tests

The tests for the monthly Microsoft security updates will be discontinued for Plant iT / brewmaxx V9.70 as of March 2026 because the end of the phase *Extended Support* has been reached.

March 2026

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 12 November 2024 (KB5046858)

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5078752

Title	Tested On	Status
Smoketest	03/13/2026	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5078752

Title	Tested On	Status
Smoketest	03/13/2026	passed

Smoketest: A test suite that covers the main functionality of a component or system to determine whether it works properly

This report contains the monthly regular Windows patches released by Microsoft.
Older updates superseded by these updates are not listed separately.
For more information see: <https://www.catalog.update.microsoft.com/>

February 2026

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 12 November 2024 (KB5046858)

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5075904

Title	Tested On	Status
Smoketest	02/13/2026	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5075904

Title	Tested On	Status
Smoketest	02/13/2026	passed

January 2026

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 12 November 2024 (KB5046858)

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5073723

Title	Tested On	Status
Smoketest	01/16/2026	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5073723

Title	Tested On	Status
Smoketest	01/16/2026	passed

December 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 12 November 2024 (KB5046858)

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5071544

Title	Tested On	Status
Smoketest	12/12/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5071544

Title	Tested On	Status
Smoketest	12/12/2025	passed

November 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 12 November 2024 (KB5046858)

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5068791

Title	Tested On	Status
Smoketest	11/14/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 22H2

Windows Patches:

Note: Windows 10 has reached the end of support on October 14, 2025. As a result, testing for monthly security updates will be discontinued.

Title	Tested On	Status
Smoketest	11/14/2025	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5068791

Title	Tested On	Status
Smoketest	11/14/2025	passed

October 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 12 November 2024 (KB5046858)

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5066143, KB5066586, KB5066738

Title	Tested On	Status
Smoketest	10/17/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 22H2

Windows Patches: KB5066135, KB5066747, KB5066791

Title	Tested On	Status
Smoketest	10/17/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU05.1

Windows Version: 1809

Windows Patches: KB5066143, KB5066586, KB5066738

Title	Tested On	Status
Smoketest	10/17/2025	passed

September 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5065428, KB5065744, KB5065955

Title	Tested On	Status
Smoketest	09/12/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5064399, KB5065429, KB5065957

Title	Tested On	Status
Smoketest	09/12/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5065428, KB5065744, KB5065955

Title	Tested On	Status
Smoketest	09/12/2025	passed

August 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5063877

Title	Tested On	Status
Smoketest	08/18/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5063709

Title	Tested On	Status
Smoketest	08/18/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5063877

Title	Tested On	Status
Smoketest	08/18/2025	passed

July 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5062070, KB5062152, KB5062557

Title	Tested On	Status
Smoketest	07/10/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5056577, KB5062154, KB5062554

Title	Tested On	Status
Smoketest	07/10/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5062070, KB5062152, KB5062557

Title	Tested On	Status
Smoketest	07/10/2025	passed

June 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5060531

Title	Tested On	Status
Smoketest	06/13/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5060533

Title	Tested On	Status
Smoketest	06/13/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5060531

Title	Tested On	Status
Smoketest	06/13/2025	passed

May 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5058392

Title	Tested On	Status
Smoketest	05/16/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5058379

Title	Tested On	Status
Smoketest	05/16/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5058392

Title	Tested On	Status
Smoketest	05/16/2025	passed

April 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5054695, KB5055519, KB5055681

Title	Tested On	Status
Smoketest	04/11/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5054977, KB5055518, KB5055683

Title	Tested On	Status
Smoketest	04/11/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5054695, KB5055519, KB5055681

Title	Tested On	Status
Smoketest	04/11/2025	passed

March 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5053596

Title	Tested On	Status
Smoketest	03/14/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5053606

Title	Tested On	Status
Smoketest	03/14/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5053596

Title	Tested On	Status
Smoketest	03/14/2025	passed

February 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5052000

Title	Tested On	Status
Smoketest	02/14/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5051974

Title	Tested On	Status
Smoketest	02/14/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5052000

Title	Tested On	Status
Smoketest	02/14/2025	passed

January 2025

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5049608, KB5050008, KB5050182

Title	Tested On	Status
Smoketest	01/17/2025	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5049613, KB5049981, KB5050188

Title	Tested On	Status
Smoketest	01/17/2025	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5049608, KB5050008, KB5050182

Title	Tested On	Status
Smoketest	01/17/2025	passed

December 2024

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5048661

Title	Tested On	Status
Smoketest	12/13/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5048652

Title	Tested On	Status
Smoketest	12/13/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5048661

Title	Tested On	Status
Smoketest	12/13/2024	passed

November 2024

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5046268, KB5046540, KB5046615

Title	Tested On	Status
Smoketest	11/15/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5045936, KB5046542, KB5046613

Title	Tested On	Status
Smoketest	11/15/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5046268, KB5046540, KB5046615

Title	Tested On	Status
Smoketest	11/15/2024	passed

October 2024

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5044016, KB5044089, KB5044277

Title	Tested On	Status
Smoketest	10/11/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5044020, KB5044091, KB5044273

Title	Tested On	Status
Smoketest	10/11/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5044016, KB5044089, KB5044277

Title	Tested On	Status
Smoketest	10/11/2024	passed

September 2024

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5043050

Title	Tested On	Status
Smoketest	09/13/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5043064

Title	Tested On	Status
Smoketest	09/13/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5043050

Title	Tested On	Status
Smoketest	09/13/2024	passed

August 2024

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5041578, KB5041913, KB5042350

Title	Tested On	Status
Smoketest	08/19/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5041580, KB5042056, KB5042352

Title	Tested On	Status
Smoketest	08/19/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5041578, KB5041913, KB5042350

Title	Tested On	Status
Smoketest	08/19/2024	passed

July 2024

1. Windows Server 2019, SQL Server 2017 CU31 + Security update of 10 October 2023 (KB5029376)

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5039879, KB5040430, KB5041017

Title	Tested On	Status
Smoketest	07/12/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 22H2

Windows Patches: KB5039884, KB5040427, KB5041019

Title	Tested On	Status
Smoketest	07/12/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04.2

Windows Version: 1809

Windows Patches: KB5039879, KB5040430, KB5041017

Title	Tested On	Status
Smoketest	07/12/2024	passed

June 2024

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5039217

Title	Tested On	Status
Smoketest	06/14/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5039211

Title	Tested On	Status
Smoketest	06/14/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5039217

Title	Tested On	Status
Smoketest	06/14/2024	passed

May 2024

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5037765, KB5037932, KB5038283

Title	Tested On	Status
Smoketest	05/17/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5037592, KB5037768, KB5038285

Title	Tested On	Status
Smoketest	05/17/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5037765, KB5037932, KB5038283

Title	Tested On	Status
Smoketest	05/17/2024	passed

April 2024

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5036604, KB5036896, KB5037034

Title	Tested On	Status
Smoketest	04/12/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5036608, KB5036892, KB5037036

Title	Tested On	Status
Smoketest	04/12/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5036604, KB5036896, KB5037034

Title	Tested On	Status
Smoketest	04/12/2024	passed

March 2024

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5035849

Title	Tested On	Status
Smoketest	03/15/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5035845

Title	Tested On	Status
Smoketest	03/15/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5035849

Title	Tested On	Status
Smoketest	03/15/2024	passed

February 2024

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5034619, KB5034683, KB5034768

Title	Tested On	Status
Smoketest	02/16/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5034468, KB5034685, KB5034763

Title	Tested On	Status
Smoketest	02/16/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5034619, KB5034683, KB5034768

Title	Tested On	Status
Smoketest	02/16/2024	passed

January 2024

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5033904, KB5034127, KB5034273

Title	Tested On	Status
Smoketest	01/12/2024	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5033909, KB5034122, KB5034275

Title	Tested On	Status
Smoketest	01/12/2024	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5033904, KB5034127, KB5034273

Title	Tested On	Status
Smoketest	01/12/2024	passed

December 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5033371

Title	Tested On	Status
Smoketest	12/15/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5033372

Title	Tested On	Status
Smoketest	12/15/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5033371

Title	Tested On	Status
Smoketest	12/15/2023	passed

November 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5031984, KB5032196, KB5032337

Title	Tested On	Status
Smoketest	11/17/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5031988, KB5032189, KB5032339

Title	Tested On	Status
Smoketest	11/17/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5031984, KB5032196, KB5032337

Title	Tested On	Status
Smoketest	11/17/2023	passed

October 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5031005, KB5031222, KB5031361

Title	Tested On	Status
Smoketest	10/13/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5030841, KB5031224, KB5031356, KB5031539

Title	Tested On	Status
Smoketest	10/13/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5031005, KB5031222, KB5031361

Title	Tested On	Status
Smoketest	10/13/2023	passed

September 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5029931, KB5030178, KB5030214

Title	Tested On	Status
Smoketest	09/15/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 22H2

Windows Patches: KB5029923, KB5030180, KB5030211

Title	Tested On	Status
Smoketest	09/15/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5029931, KB5030178, KB5030214

Title	Tested On	Status
Smoketest	09/15/2023	passed

August 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5028960, KB5029247, KB5029647

Title	Tested On	Status
Smoketest	08/10/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches:

Note: Microsoft stopped support for Windows 10 Professional version 21H2. The approved version will be changed shortly. Test results of June 2023 are the latest.

Title	Tested On	Status
Smoketest	08/10/2023	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5028960, KB5029247, KB5029647

Title	Tested On	Status
Smoketest	08/10/2023	passed

July 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5028168, KB5028862, KB5028936

Title	Tested On	Status
Smoketest	07/14/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches:

Note: Microsoft stopped support for Windows 10 Professional version 21H2. The approved version will be changed shortly. Test results of June 2023 are the latest.

Title	Tested On	Status
Smoketest	07/14/2023	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5028168

Title	Tested On	Status
Smoketest	07/14/2023	passed

June 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5027131, KB5027222, KB5027536

Title	Tested On	Status
Smoketest	06/16/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5026879, KB5027122, KB5027215, KB5027537

Title	Tested On	Status
Smoketest	06/16/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5027131, KB5027222, KB5027536

Title	Tested On	Status
Smoketest	06/16/2023	passed

May 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5026362

Title	Tested On	Status
Smoketest	05/12/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5026361

Title	Tested On	Status
Smoketest	05/12/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5026362

Title	Tested On	Status
Smoketest	05/12/2023	passed

April 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5025229

Title	Tested On	Status
Smoketest	04/14/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5023794, KB5025221

Title	Tested On	Status
Smoketest	04/14/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5025229

Title	Tested On	Status
Smoketest	04/14/2023	passed

March 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5023702, KB5023789

Title	Tested On	Status
Smoketest	03/17/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5022924, KB5023696

Title	Tested On	Status
Smoketest	03/17/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5023702, KB5023789

Title	Tested On	Status
Smoketest	03/17/2023	passed

February 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5022511, KB5022782, KB5022840

Title	Tested On	Status
Smoketest	02/17/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5022502, KB5022728, KB5022834

Title	Tested On	Status
Smoketest	02/17/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5022511, KB5022782, KB5022840

Title	Tested On	Status
Smoketest	02/17/2023	passed

January 2023

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5022286

Title	Tested On	Status
Smoketest	01/13/2023	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5022282

Title	Tested On	Status
Smoketest	01/13/2023	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5022286

Title	Tested On	Status
Smoketest	01/13/2023	passed

December 2022

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5020866, KB5021085, KB5021237

Title	Tested On	Status
Smoketest	12/16/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5020372, KB5020872, KB5021088, KB5021233

Title	Tested On	Status
Smoketest	12/16/2022	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5020866, KB5021085, KB5021237

Title	Tested On	Status
Smoketest	12/16/2022	passed

November 2022

1. Windows Server 2019, SQL Server 2017 CU30

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5019966, KB5020374, KB5020627, KB5020685

Title	Tested On	Status
Smoketest	11/11/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 21H2

Windows Patches: KB5018506, KB5019959, KB5020613, KB5020687

Title	Tested On	Status
Smoketest	11/11/2022	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU04

Windows Version: 1809

Windows Patches: KB5019966, KB5020374, KB5020627, KB5020685

Title	Tested On	Status
Smoketest	11/11/2022	passed

October 2022**1. Windows Server 2019, SQL Server 2017 CU23**

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5017270, KB5017400, KB5018419, KB5018542

Title	Tested On	Status
Smoketest	10/14/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches:

Note: Microsoft stopped support for Windows 10 Professional version 20H2. The approved version will be changed shortly. Test results of May 2022 are the latest.

Title	Tested On	Status
Smoketest	10/14/2022	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5017400, KB5018419

Title	Tested On	Status
Smoketest	10/14/2022	passed

September 2022**1. Windows Server 2019, SQL Server 2017 CU23**

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5016713, KB5017315, KB5017528

Title	Tested On	Status
Smoketest	09/16/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches:

Note: Microsoft stopped support for Windows 10 Professional version 20H2. The approved version will be changed shortly. Test results of May 2022 are the latest.

Title	Tested On	Status
Smoketest	09/16/2022	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5017315

Title	Tested On	Status
Smoketest	09/16/2022	passed

August 2022**1. Windows Server 2019, SQL Server 2017 CU23**

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5012170, KB5015736, KB5015896, KB5016623, KB5016737

Title	Tested On	Status
Smoketest	08/11/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches:

Note: Microsoft stopped support for Windows 10 Professional version 20H2. The approved version will be changed shortly. Test results of May 2022 are the latest.

Title	Tested On	Status
Smoketest	08/11/2022	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5012170, KB5015896, KB5016623

Title	Tested On	Status
Smoketest	08/11/2022	passed

July 2022

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 1809
Windows Patches: KB5014797, KB5015811

Title	Tested On	Status
Smoketest	07/15/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 20H2
Windows Patches:

Note: Microsoft stopped support for Windows 10 Professional version 20H2. The approved version will be changed shortly. Test results of May 2022 are the latest.

Title	Tested On	Status
Smoketest	07/15/2022	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 1809
Windows Patches: KB5014797, KB5015811

Title	Tested On	Status
Smoketest	07/15/2022	passed

June 2022

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 1809
Windows Patches: KB5013892, KB5014031, KB5014692, KB5014805

Title	Tested On	Status
Smoketest	06/17/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 20H2
Windows Patches:

Note: Microsoft stopped support for Windows 10 Professional version 20H2. The approved version will be changed shortly. Test results of May 2022 are the latest.

Title	Tested On	Status
Smoketest	06/17/2022	blocked

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 1809
Windows Patches: KB5014031, KB5014692

Title	Tested On	Status
Smoketest	06/17/2022	passed

May 2022

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 1809
Windows Patches: KB5012675, KB5013641, KB5013868, KB5013941

Title	Tested On	Status
Smoketest	05/13/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 20H2
Windows Patches: KB5013624, KB5013942, KB5014032

Title	Tested On	Status
Smoketest	05/13/2022	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1
Windows Version: 1809
Windows Patches: KB5012675, KB5013641, KB5013868, KB5013941

Title	Tested On	Status
Smoketest	05/13/2022	passed

April 2022

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5011574, KB5012128, KB5012328, KB5012647

Title	Tested On	Status
Smoketest	04/14/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5011651, KB5012117, KB5012599

Title	Tested On	Status
Smoketest	04/14/2022	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5011574, KB5012128, KB5012328, KB5012647

Title	Tested On	Status
Smoketest	04/14/2022	passed

March 2022

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5011503

Title	Tested On	Status
Smoketest	03/11/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5011487

Title	Tested On	Status
Smoketest	03/11/2022	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5011503

Title	Tested On	Status
Smoketest	03/11/2022	passed

February 2022

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5010351

Title	Tested On	Status
Smoketest	02/11/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5010342, KB5011352

Title	Tested On	Status
Smoketest	02/11/2022	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5010351

Title	Tested On	Status
Smoketest	02/11/2022	passed

January 2022**1. Windows Server 2019, SQL Server 2017 CU23**

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5009557

Title	Tested On	Status
Smoketest	01/14/2022	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5009543

Title	Tested On	Status
Smoketest	01/14/2022	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5009557

Title	Tested On	Status
Smoketest	01/14/2022	passed

December 2021**1. Windows Server 2019, SQL Server 2017 CU23**

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5008218, KB5008287

Title	Tested On	Status
Smoketest	12/17/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5007273, KB5008212

Title	Tested On	Status
Smoketest	12/17/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5008218, KB5008287

Title	Tested On	Status
Smoketest	12/17/2021	passed

November 2021**1. Windows Server 2019, SQL Server 2017 CU23**

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5006754, KB5007206

Title	Tested On	Status
Smoketest	11/12/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5006753, KB5007186

Title	Tested On	Status
Smoketest	11/12/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5006754, KB5007206

Title	Tested On	Status
Smoketest	11/12/2021	passed

October 2021

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5006672

Title	Tested On	Status
Smoketest	10/15/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5006670

Title	Tested On	Status
Smoketest	10/15/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5006672

Title	Tested On	Status
Smoketest	10/15/2021	passed

September 2021

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5005568, KB5005701

Title	Tested On	Status
Smoketest	09/17/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5005565, KB5005699

Title	Tested On	Status
Smoketest	09/17/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5005568, KB5005701

Title	Tested On	Status
Smoketest	09/17/2021	passed

August 2021

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5005030, KB5005112

Title	Tested On	Status
Smoketest	08/13/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5005033, KB5005260

Title	Tested On	Status
Smoketest	08/13/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5005030, KB5005112

Title	Tested On	Status
Smoketest	08/13/2021	passed

July 2021

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5004244

Title	Tested On	Status
Smoketest	07/16/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5004237, KB5003742

Title	Tested On	Status
Smoketest	07/16/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5004244

Title	Tested On	Status
Smoketest	07/16/2021	passed

June 2021

1. Windows Server 2019, SQL Server 2017 CU23

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5003711, KB5003646

Title	Tested On	Status
Smoketest	06/11/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 20H2

Windows Patches: KB5003637, KB5003503

Title	Tested On	Status
Smoketest	06/11/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU03.1

Windows Version: 1809

Windows Patches: KB5003711, KB5003646

Title	Tested On	Status
Smoketest	06/11/2021	passed

May 2021

1. Windows Server 2019, SQL Server 2017 CU22 + Security Update KB4583457

Version: Plant iT / brewmaxx V9.70 CU02.1

Windows Version: 1809

Windows Patches: KB5003243, KB5003171

Title	Tested On	Status
Smoketest	05/14/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU02.1

Windows Version: 20H2

Windows Patches: KB5003242, KB5003173

Title	Tested On	Status
Smoketest	05/14/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU02.1

Windows Version: 1809

Windows Patches: KB5003243, KB5003171

Title	Tested On	Status
Smoketest	05/14/2021	passed

April 2021

1. Windows Server 2019, SQL Server 2017 CU22 + Security Update KB4583457

Version: Plant iT / brewmaxx V9.70 CU02.1

Windows Version: 1809

Windows Patches: KB5001404, KB5001342

Title	Tested On	Status
Smoketest	04/16/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU02.1

Windows Version: 20H2

Windows Patches: KB5001405, KB5001330

Title	Tested On	Status
Smoketest	04/16/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU02.1

Windows Version: 1809

Windows Patches: KB5001404, KB5001342

Title	Tested On	Status
Smoketest	04/16/2021	passed

March 2021

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 1809

Windows Patches: KB5000859, KB5000822, KB4589208

Title	Tested On	Status
Smoketest	03/12/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 20H2

Windows Patches: KB5000858, KB5000802, KB4589212

Title	Tested On	Status
Smoketest	03/12/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 1809

Windows Patches: KB5000859, KB5000822, KB4589208

Title	Tested On	Status
Smoketest	03/12/2021	passed

February 2021

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 1809

Windows Patches: KB4601393, KB4601345, KB4601060

Title	Tested On	Status
Smoketest	02/12/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 20H2

Windows Patches: KB4601319, KB4601050

Title	Tested On	Status
Smoketest	02/12/2021	passed

3. Windows 10 LTSC

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 1809

Windows Patches: KB4601393, KB4601345, KB4601060

Title	Tested On	Status
Smoketest	02/12/2021	passed

January 2021**1. Windows Server 2019, SQL Server 2017 CU19**

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 1809

Windows Patches: KB4598480, KB4598230, KB4586875, KB4535680

Title	Tested On	Status
Smoketest	01/15/2021	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 20H2

Windows Patches: KB4598481, KB4598242

Title	Tested On	Status
Smoketest	01/15/2021	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 CU01

Windows Version: 1607

Windows Patches: KB4598243

Title	Tested On	Status
Smoketest	01/15/2021	passed

December 2020**1. Windows Server 2019, SQL Server 2017 CU19**

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4592440

Title	Tested On	Status
Smoketest	12/11/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4592449

Title	Tested On	Status
Smoketest	12/11/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4593226

Title	Tested On	Status
Smoketest	12/11/2020	passed

November 2020**1. Windows Server 2019, SQL Server 2017 CU19**

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4587735, KB4586793, KB4580422

Title	Tested On	Status
Smoketest	11/16/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4586863, KB4586786, KB4584642

Title	Tested On	Status
Smoketest	11/16/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4586830

Title	Tested On	Status
Smoketest	11/16/2020	passed

October 2020

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4580325, KB4577668, KB4578966, KB4577667

Title	Tested On	Status
Smoketest	10/16/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4577670, KB4577671, KB4580325, KB4578974

Title	Tested On	Status
Smoketest	10/16/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4580325, KB4580346

Title	Tested On	Status
Smoketest	10/16/2020	passed

September 2020

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4570333, KB4570332, KB4570720

Title	Tested On	Status
Smoketest	09/11/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4574727, KB4576751, KB4576484

Title	Tested On	Status
Smoketest	09/11/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4577015, KB4576750

Title	Tested On	Status
Smoketest	09/11/2020	passed

August 2020

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4566424, KB4565349

Title	Tested On	Status
Smoketest	08/17/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4569751, KB4569073, KB4565351

Title	Tested On	Status
Smoketest	08/17/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4571694

Title	Tested On	Status
Smoketest	08/17/2020	passed

July 2020

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4565625, KB4558998, KB4558997

Title	Tested On	Status
Smoketest	07/17/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4565633, KB4565554, KB4565483

Title	Tested On	Status
Smoketest	07/17/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4565912, KB4565511

Title	Tested On	Status
Smoketest	07/17/2020	passed

June 2020

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4562562, KB4561608, KB4561600

Title	Tested On	Status
Smoketest	06/16/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4560959, KB4560960

Title	Tested On	Status
Smoketest	06/16/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4562561, KB4561616, KB4561600

Title	Tested On	Status
Smoketest	06/16/2020	passed

May 2020

1. Windows Server 2019, SQL Server 2017 CU19

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1809

Windows Patches: KB4551853, KB4552924

Title	Tested On	Status
Smoketest	05/15/2020	passed

2. Windows 10 Pro

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1909

Windows Patches: KB4556799, KB4552931

Title	Tested On	Status
Smoketest	05/15/2020	passed

3. Windows 10 LTSB

Version: Plant iT / brewmaxx V9.70 (RTM)

Windows Version: 1607

Windows Patches: KB4556813, KB4054590

Title	Tested On	Status
Smoketest	05/15/2020	passed